

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 6/9/2022 Revision date: 3/26/2025 Supersedes version of: 7/31/2024 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance (UVCB)
Substance name : LV 41 solubiliser

IUPAC name : Castor oil, hydrogenated, ethoxylated

EC-No. : 500-147-5 CAS-No. : 61788-85-0 REACH registration No. : 01-2120775815-41

Product code : 10440
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use
Use of the substance/mixture : Cosmetics raw material

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

De Hekserij Spoorstraat 57 8271 RG IJsselmuiden Nederland T +31 383 557 927

hekserij@hekserij.nl, www.hekserij.nl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : UVCB

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%
	CAS-No.: 61788-85-0 EC-No.: 500-147-5 REACH-no: 01-2120775815- 41	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions. Dust of the product, if present, may cause respiratory

irritation after excessive inhalation exposure.

Symptoms/effects after skin contact None under normal conditions. Dust may cause irritation in skin folds or by contact in

combination with tight clothing.

Symptoms/effects after eye contact None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent

material damage.

3/26/2025 (Revision date) FU - en 2/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

LV 41 solubiliser (61788-85-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal 16.6 mg/kg bodyweight/day		
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	8.3 mg/kg bodyweight/day	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LV 41 solubiliser (61788-85-0)		
PNEC (Water)		
PNEC aqua (freshwater)	1 μg/l	
PNEC aqua (marine water)	0.1 μg/l	
PNEC aqua (intermittent, freshwater)	10 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	100 mg/kg dwt	
PNEC sediment (marine water)	10 mg/kg dwt	
PNEC (Soil)		
PNEC soil	20 mg/kg dwt	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Waxy.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colour : light yellow.
Odour : No data available
Odour threshold : No data available

pH : 5 – 7 sol. 5% Temp.: 20 °C

pH solution : 10 (6 – 7) % Relative evaporation rate (butylacetate=1) : No data available

Melting point 38 °C Freezing point Not applicable : 348 °C Boiling point : > 100 °C Flash point : Not applicable Auto-ignition temperature Decomposition temperature : No data available : Non flammable. Flammability (solid, gas) : 0 Pa Temp.: 25 °C Vapour pressure Relative vapour density at 20°C No data available Relative density : No data available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : Not applicable : No data available Viscosity, dynamic Explosive properties : No data available

9.2. Other information

Oxidising properties

Explosive limits

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

: Not applicable

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LV 41 solubiliser (61788-85-0)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
	Not classified pH: 5 – 7 sol. 5% Temp.: 20 °C
zeneue eye uumuge,mmuuen	Not classified pH: 5 – 7 sol. 5% Temp.: 20 °C
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
LV 41 solubiliser (61788-85-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard :	Not classified
LV 41 solubiliser (61788-85-0)	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified: Not classified.

Hazardous to the aquatic environment, long-term

(abrania)

(chronic)

LV 41 solubiliser (61788-85-0)	
LC50 - Fish [1]	> 1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

LV 41 solubiliser (61788-85-0)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

- ...

Sewage disposal recommendations Product/Packaging disposal recommendations

Additional information

: Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Disposal must be done according to official regulations.

Comply with applicable regulations for solid waste disposal. Disposal must be done

according to official regulations.

: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ACGIH	American Conference of Government Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAS-No.	Chemical Abstract Service number	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 CDD Chemical oxygen demand (COD) CSA Chemical oxygen demand (COD) CSA Chemical oxygen demand (COD) DMEL Derived Minimal Effect level DMEL Derived Minimal Effect level DNEL Derived-No Effect Level EC-No European Community number ECSO Median effective concentration ED Endorine disruptor EN European Standard EWC European Market actiogue LARC International Agency for Research on Cancer LATA International Cancer L	Abbreviations and acronyms:		
CSA Chemical safety assessment DMEL Derived Minimal Effect Level DNEL Derived-No Effect Level E-No. European Community number ECRO Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IARA International Air Transport Association IMDG International Maritime Dangerous Goods LCSO Median lethal docencentration LDSO Median lethal docencentration LDSO Median lethal doce Uowest Observed Adverse Effect Level Log Row Partition coefficient n-octanol/water (Log Row) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEL No-Observed Adverse Effect Lovel NOCE No-Observed Adverse Effect Lovel NOCE No-Observed Adverse Effect Lovel NOCE No-Observed Effect Concentration NOAS. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit PPT Perisstent Bioaccumulative Toxic PNEC Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function TNOA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Bersistent and Very Bioaccumulative VOC Volatile Organic Compounds	CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL Derived Minimal Effect level DNEL Derived-No Effect Level EC-No. European Comminity number ECS0 Median effective concentration ED Endocrine disruptor EN European Standard EWC European Standard EWC European Standard EWC International Agency for Research on Cancer IATA International Agency for Research on Cancer IATA International Ari Transport Association IMDG International Maritime Dangerous Goods LCS0 Median lethal concentration IDS0 Median lethal dose LOAEL Lovest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SIS Safety Dala Sheet STP Sewage treatment plant TF Technical function TNOA Time Weighted Average VOC Volatile Organic Compounds VevB Very Beristent and Very Bioaccumulative VOC Volatile Organic Compounds	COD	Chemical oxygen demand (COD)	
DNEL Derived-No Effect Level EC-No. European Community number ECS0 Median effective concentration ED Endocrine disruptor EN European Standard EWC European Standard EWC European Standard EWC International Agency for Research on Cancer IATA International Aff Transport Association IMDG International Aff Transport Association IMDG International Maritime Dangerous Goods LCSD Median lethal concentration LOSO Median lethal concentration LOSO Median lethal concentration LOSE LOSE LOSE CONCENTRATION OF Partition Of	CSA	Chemical safety assessment	
EC-No. European Community number EC50 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC Infernational Agency for Research on Cancer IATA Infernational Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lovest Observed Adverse Effect Level LD60 Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Effect Concentration NOAEL No-Observed Effect Concentration NOAS No Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Safety Health Administration PET Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concentration FPE Personal protection equipment RID Regulations concentration TF Technical function ThOD Theoretical coxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds	DMEL	Derived Minimal Effect level	
EC50 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Devel NOEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NOAEL No-Observed Effect Concentration NOAS. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLIM Median Tolerance Limit TWA Time Weighted Average VOC Volstile Organic Compounds Very Persistent and Very Bioaccumulative	DNEL	Derived-No Effect Level	
ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods IAGO Median lethal concentration IAGO Median lethal dose IAGO Median le	EC-No.	European Community number	
EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Arr Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThoD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VoC Volatile Organic Compounds very B Very Persistent and Very Bioaccumulative	EC50	Median effective concentration	
EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit PPT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vev8	ED	Endocrine disruptor	
International Agency for Research on Cancer IATA International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Exposure Limit PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThoO Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average Voc Volatile Organic Compounds vevB Very Persistent and Very Bioaccumulative	EN	European Standard	
IATA International Air Transport Association IMDG International Maritime Dangerous Goods LCS0 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) LOg Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevB VevP Persistent and Very Bioaccumulative VevB VerP Persistent and Very Bioaccumulative VevB VerP Persistent and Very Bioaccumulative VevB VerP Persistent and Very Bioaccumulative	EWC	European waste catalogue	
IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OCCD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vev8 Very Persistent and Very Bioaccumulative VevB Very Persistent and Very Bioaccumulative VevB Very Persistent and Very Bioaccumulative Veva Versistent and Very Bioaccumulative Versistent and Very Bioaccumulative	IARC	International Agency for Research on Cancer	
LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NO.S. Not Otherwise Specified OCCD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevB Very Persistent and Very Bioaccumulative	IATA	International Air Transport Association	
LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevB Very Persistent and Very Bioaccumulative	IMDG	International Maritime Dangerous Goods	
LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevB Very Persistent and Very Bioaccumulative	LC50	Median lethal concentration	
Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	LD50	Median lethal dose	
Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPVB Very Persistent and Very Bioaccumulative	LOAEL	Lowest Observed Adverse Effect Level	
MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	Log Kow	Partition coefficient n-octanol/water (Log Kow)	
NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NoEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	Log Pow	Partition coefficient n-octanol/water (Log Pow)	
NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	MAK	maximum workplace concentration	
NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	NOAEC	No-Observed Adverse Effect Concentration	
N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	NOAEL	No-Observed Adverse Effect Level	
OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	NOEC	No-Observed Effect Concentration	
OEL Occupational Exposure Limit OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	N.O.S.	Not Otherwise Specified	
OSHA Occupational Safety Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	OECD	Organisation for Economic Co-operation and Development	
PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	OEL	Occupational Exposure Limit	
PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	OSHA	Occupational Safety Health Administration	
PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PBT	Persistent Bioaccumulative Toxic	
RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PNEC	Predicted No-Effect Concentration	
SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PPE	Personal protection equipment	
STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	SDS	Safety Data Sheet	
ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	STP	Sewage treatment plant	
TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	TF	Technical function	
TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	ThOD	Theoretical oxygen demand (ThOD)	
VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	TLM	Median Tolerance Limit	
vPvB Very Persistent and Very Bioaccumulative	TWA	Time Weighted Average	
	VOC	Volatile Organic Compounds	
UFI Unique Formula Identifier	vPvB	Very Persistent and Very Bioaccumulative	
	UFI	Unique Formula Identifier	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.